

**BrightSign®**

# BRIGHTAUTHOR RELEASE NOTES

Version 4.4.0.10

## BrightAuthor Requirements

- PC with Windows Vista or Windows 7, plus Microsoft .Net Framework 4.0 or later
- BrightSign 4Kx42, XDx32, XDx30, HDx20, LSx22, AU320

**Minimum Firmware Required: 5.1.33**

- BrightSign HDx22

**Minimum Firmware Required: 5.1.16**

## Help and Feedback

If you would like to learn more about the new BrightAuthor features described below, please download the [User Guide](#). If you are new to BrightAuthor, you can also visit the [Training](#) page. If you have any questions, please contact us at [support@brightsign.biz](mailto:support@brightsign.biz).

## Changes Since 4.3.0.16

### New Features

- New **Proxy Bypass** feature for the Unit Setup process. This feature allows you to create a list of hostnames that the player will communicate with directly rather than using a specified proxy.

- New **bottom on left** and **bottom on right** options for portrait presentations. These options allow you to create presentations for displays that are portrait-oriented in either direction.
- New Media List state, which allows you to add video, image, and audio files to a single playlist state.
- New Hide Zone and Show Zone commands

### Bug Fixes

- Players no longer crash while attempting to download large Dynamic Playlists during playback.
- Players no longer crash while attempting to play Audio Only Dynamic Playlists created in the BSN WebUI.
- The **Specify User Stylesheet** option for HTML5 states has been fixed.
- A System Variable with the **EDID manufacturer product code** value will no longer cause presentations to crash if the monitor EDID returns an integer (rather than a string).
- BrightAuthor will no longer crash if you attempt to create player setup files with a **Custom Splash Screen** that has been deleted or moved from its original file folder.

### Improvements

- New **Display screen layout information when presentation starts** option allows you to enable/disable the screen positioning information that is displayed when a scheduled BrightWall presentation begins.

- It is no longer possible to specify a 0 bezel width or height for a BrightWall Configuration file. Previously, doing so would cause a failure when you attempted to upload the presentation to BSN.
- When editing **Rectangular Touch** events for a portrait-mode presentation, the preview image is now rotated to allow for correct coordinate positioning.
- In the **Publish > Local Network** tab, hovering your mouse over a player name now prompts a rollover displaying the player IP address.
- The **Active Presentation** field in the **Manage > Status** tab now updates quickly after a schedule change or device setup.
- The player status icon in the **Manage > Status** tab now shows red when the player is moved into the "Disabled Players" group.
- Background Image zones now accept Media RSS Feed states.
- The **Content for Image List, Video List, Audio List, or Play File** option is now available for Data Feeds that use Live Text, Live Media, or Dynamic Playlists as their source.
- The **Analog Stereo** and **HDMI** audio outputs are now enabled by default for zones. Previously, **HDMI** audio output was disabled by default. This change only affects fresh BrightAuthor installs.
- The **Conditional Targets** window now has scrollbars, allowing you to manage more than 10 Conditional Targets per event.
- Playback logs now report Dynamic Playlist items by file name, rather than file location.